



Pneumococcal Disease: Hard to say it; easy to get vaccinated

Pneumococcal Vaccination Reimbursement Tip Sheet

Improperly coded bills can impact proper and timely payments. Use this document for easy reference.

*Pneumococcal conjugate (PCV13, Prevnar®) and polysaccharide (PPSV23, Pneumovax®) vaccines may both be indicated but they **cannot** be given at the same visit. See page 2 for recommended dosing schedule.*

1 Use the correct administration codeⁱ

G0009 Administration of pneumococcal vaccine

CDC recommends co-administering pneumococcal and seasonal influenza vaccine during the same visit to minimize missed opportunities. If influenza vaccine is also administered, include:

G0008 Administration of influenza virus vaccine

2 Add the appropriate vaccine codeⁱ

90670 Pneumococcal conjugate vaccine (PCV), 13-valent

OR

90732 Pneumococcal polysaccharide vaccine (PPSV), 23-valent

If influenza vaccine is administered during the same visit, also include the appropriate influenza vaccine code (page 3).

3 Include the proper ICD-9-CM codeⁱⁱ

If only pneumococcal vaccine is administered during the visit, use:

V03.82 Need for prophylactic vaccination and inoculation against *Streptococcus pneumoniae* (pneumococcus)

If pneumococcal and seasonal influenza vaccines are co-administered during the same visit, use:

V06.6 Need for prophylactic vaccination and inoculation against *Streptococcus pneumoniae* and influenza

If the patient is younger than 65 years of age, also include an appropriate ICD-9 code to specify the qualifying risk condition for pneumococcal vaccination (e.g., 042 indicating HIV, 428.0 indicating unspecified congestive heart failure, or 759.0 indicating congenital anomalies of spleen)*

*For a complete list of codes for underlying conditions, refer to the ICD-9 codes at www.cms.gov. NFID will provide updated guidance when ICD-9 codes transition to ICD-10 codes (anticipated date: October 1, 2015).

ⁱAmerican Medical Association. Current Procedural Terminology, 2014.

ⁱⁱInternational Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).





Saving Lives:
Integrating
Vaccines for
Adults Into
Routine Care

Pneumococcal Disease: Hard to say it; easy to get vaccinated

Pneumococcal Vaccination Reimbursement Tip Sheet Recommended Minimum Intervals between Pneumococcal Vaccine Doses

For indicated patients, a series of PCV13 and PPSV23 provides the best possible protection against pneumonia and invasive forms of the disease caused by vaccine serotypes.

For details on patients indicated for pneumococcal vaccination, please refer to:
[Call to Action: Preventing Pneumococcal Disease in US Adults with Chronic Conditions](http://adultvaccination.org/professional-resources/pneumo/cta-chronic-conditions.pdf)
(adultvaccination.org/professional-resources/pneumo/cta-chronic-conditions.pdf)



Adults age 19 to 64 years with the following conditions should receive one dose of PPSV23 and are not recommended for PCV13 or for PPSV23 revaccination:

- Chronic heart disease
- Chronic lung disease
- Diabetes mellitus
- Alcoholism
- Chronic liver disease or cirrhosis
- Cigarette smoking

Note: Medicare will reimburse for two pneumococcal vaccines as long as they are administered at least 11 months apart.



Saving Lives:
Integrating
Vaccines for
Adults Into
Routine Care

Pneumococcal Disease: Hard to say it; easy to get vaccinated

Pneumococcal Vaccination Reimbursement Tip Sheet Seasonal Influenza Vaccine Codes

Afluria®

- Single dose syringe: **90656**
- Multi-dose vial: **90658** (*When billing Medicare: Q2035*)

Fluarix®

- IIV3: **90656**
- IIV4: **90686**

FluLaval®

- IIV3:
 - Single dose syringe: **90656**
 - Multi-dose vial: **90658** (*When billing Medicare: Q2036*)
- IIV4:
 - Single dose syringe: **90686**
 - Multi-dose vial: **90688**

FluMist®

- Single-use nasal spray: **90672**

Fluvirin®

- Single dose syringe: **90656**
- Multi-dose vial: **90658** (*When billing Medicare: Q2037*)

Flucelvax®

- Single dose syringe: **90661**

Flublok®

- Single-dose vial: **90673**

Fluzone®

- IIV3:
 - Single dose syringe: **90656**
 - Multi-dose vial: **90658** (*When billing Medicare: Q2038*)
- IIV4:
 - Single dose syringe: **90686**
 - Single-dose vial: **90686**
 - Multi-dose vial: **90688**
- High-dose:
 - Single-dose syringe: **90662**
- Intradermal:
 - Single-dose microinjection system: **90654**